

# KÖNNER SÖHNEN

## AUTO



FOR  
CAR



FOR  
GARAGE



FOR  
HOME



FOR  
MOTORCYCLE



FOR SPORTS  
EQUIPMENT

TRADITIONELLE DEUTSCHE QUALITÄT

## DEAR KÖNNER & SÖHNEN® CUSTOMERS AND PARTNERS!

Thank you for your interest in our products. We hope that Könnér & Söhnen® equipment and accessories will become your reliable assistant!

**Könnér & Söhnen®** was created in Germany with the aim of producing high-quality, reliable equipment available for purchase by a wide range of consumers. Thanks to the many years of experience of our German specialists in the production of generators and garden equipment, we have created a series of products that meet „**TRADITIONS OF GERMAN QUALITY**” concept. This is exactly the standard of quality that is passed down from generation to generation, from the master (expert) to the students, from the father to the son, from the producer to the consumers.



The Könnér & Söhnen® equipment meets all modern European and global standards of quality, efficiency, and environmental friendliness, while passing the test of time and satisfying the demands of discerning European clients. It is recognized by international experts and awards.

We stay strong in pursuing our goals and keep up the tradition of German quality.

## KÖNNER & SÖHNEN® IN 2025

In 2025, Könnér & Söhnen® products are already available in high demand, offering **more than 300 items** in **over 20 European countries**. Additionally, they are already present in the United States and countries in Latin America, as well as in many countries in the Middle East (Turkey, Oman, UAE, Qatar, Israel) and African countries (Morocco, Egypt, Nigeria, Ethiopia). The company has 5 offices and 3 official representations, its own service and production centers in Europe, and a well-developed dealer network.

Currently, our equipment is showcased in more than **500 sales outlets** and is commercially available to more than **500 million people**. Every year, we open up 3-5 new markets, set up official representative offices and significantly increase our turnover.



**Head office:**  
DIMAX International GmbH  
Flinger Broich 203, -FortunaPark-  
40235 Duesseldorf, Germany



**Representative Office in Poland:**  
DIMAX International Poland  
Sp. z o.o., ul. Południowa 8,  
05-830, Stara Wieś, Poland



● COMPANY OFFICES ● OFFICIAL REPRESENTATIONS ● AVAILABLE PRODUCTS



COUNTRIES WORLDWIDE



PRODUCT ITEMS



SALES OUTLETS



SERVICE SUPPORT



## JUMP STARTERS

# JUMP STARTER WITH A BATTERY-POWERED COMPRESSOR 4 IN 1



JUMP STARTER



AIR COMPRESSOR



POWER BANK



FLASHLIGHT



### Battery



14800 mAh

### Pressure



140 PSI

### Peak/Starting current



2000/800 A

### Air flow



22 L/MIN

## KS JSP-2000

Lithium-ion battery	14800 mAh
Voltage	15 V
Peak/Rated starting current	2000/800 A
Max. pneumatic pressure	140 psi
Max air volume	360 l/min
Gross dimensions (LxWxH)	245x134x168 mm
Gross weight	1.6 kg





# JUMP STARTERS 3 IN 1



JUMP STARTER



FLASHLIGHT:  
Lighting, Flashing, SOS



POWER BANK

3xPorts:

- USB 5V/3A
- USB 5V/2A
- Type-C charging port 5V/3A

LED light switch

Main switch

LED Lighting



Digital smart display

Clips insertion point



ACCESSORIES: USB cable, jump starter crocodile clips, storage bag

Capacity



18000 mAh

Charging time



4-5 HOURS

Peak/Starting current



1400 / 700 A  
1000 / 500 A

Multi-level



PROTECTION

	KS JS-1000	KS JS-1400
Battery	12000 mAh	18000 mAh
USB output	5 V/3 A, 5 V/2 A	5 V/3 A, 5 V/2 A
USB input	5 V/3 A	5 V/3 A
Peak/Rated starting current	1000 /500 A	1400 /700 A
Net dimensions (LxWxH)	193 x 98 x 39	193 x 98 x 39
Gross weight	0.95 kg	0.95 kg





# JUMP STARTERS

## JUMP STARTER 4 IN 1



**JUMP STARTER**



**AIR COMPRESSOR**



**POWER BANK**



**FLASHLIGHT:**  
Lighting, Flashing, SOS



Inflation nozzles, storage bag in a set

### Capacity



**14000 mAh**

### Gasoline/Diesel engine



**8.0/4.0 Liter**

### Peak/Starting current



**1200 / 600 A**

### Pressure



**150 PSI**

## KS JSP-1200

Battery	14000 mAh
Max. pneumatic pressure	150 psi
Peak/Rated starting current	1200 / 600 A
USB output	2×5 V/2 A
Net dimensions (LxWxH)	200×130×52 mm
Gross weight	1.45 kg



# JUMP STARTER 4 IN 1



**JUMP STARTER**



**AIR COMPRESSOR**



**POWER BANK**



**FLASHLIGHT**

DC connector Output for Connecting the Clamps

Air hose connector

Flashlight

Digital smart display

Power Button/  
Air compressor switch

Mode selection

Pressure level adjustment button

LED Switch

USB cable in a set

Air hose in a set

Jump starter crocodile  
clips in a set

USB outputs

Type-C charging port



Inflation nozzles, storage bag in a set

**Capacity**



**16000 mAh**

**Gasoline/  
Diesel engine**



**9.0/5.0 Liter**

**Peak/Starting  
current**



**1300 / 650 A**

**Multi-level**



**PROTECTION**

## KS JSP-1300

Battery	<b>16000 mA</b>
Max. pneumatic pressure	<b>150 psi</b>
Peak/Rated starting current	<b>1300 A/650 A</b>
USB output	<b>2x5 B/3 A, 9 B/2 A, 12 B/1.5 A</b>
Net dimensions (LxWxH)	<b>205x105x58 mm</b>
Gross weight	<b>1.74 kg</b>





## CAR AIR COMPRESSOR



**AIR COMPRESSOR**



**NOZZLES FOR SPORT EQUIPMENT**



**FLASHLIGHT**

LED lamp

Digital pressure gauge

Pressure level adjustment button

ON/OFF Switch

A large, easy-to-use button is especially convenient in poor lighting conditions.

Power Cord Compartment

The cord won't get lost and won't interfere.



- ✓ Cars
- ✓ Bicycle
- ✓ Motorcycle
- ✓ Sports equipment



**ACCESSORIES:** spare fuse, needle valve adapter, air nozzle cones

**Air flow**



**25 L/MIN**

**Pressure**



**120 PSI**

**Power**



**120 W**

**With a function**



**AUTO-STOP**

### KS P10

Rated voltage	<b>DC 12 V</b>
Power	<b>120 W</b>
Max pressure	<b>150 psi</b>
Speed	<b>25 l/min</b>
Gross dimensions (LxWxH)	<b>190×160×70 mm</b>
Gross weight	<b>1.4 kg</b>



# CAR AIR COMPRESSOR




**PORTABLE TYRE INFLATOR**



**HIGH-VOLUME &  
HIGH-PRESSURE MODE**



**FLASHLIGHT**



- ✓ Cars
- ✓ Bicycle
- ✓ Motorcycle
- ✓ Sports equipment
- ✓ Inflatable boat



**ACCESSORIES:** inflation nozzles  
and spare fuse

CAR AIR COMPRESSORS

**Air flow**



**35 L/MIN**

**Pressure**



**150 PSI**

**Power**



**120 W**

**With a function**



**AUTO-STOP**

## KS P30

Voltage (AC)	110 – 230 V
Continuous working time	8 min
Voltage (for mains)	AC 110 V/1 A, 220 V/0.5 A
Voltage (DC)	DC 12 V/10 A
Gross dimensions (LxWxH)	190x203x272 mm
Gross weight	1.8 kg





# BATTERY-POWERED COMPRESSOR 3 IN 1



**COMPRESSOR**



**POWERBANK**



**LED LAMP**

LED lamp

USB Output

Type-C Input (1 A)

Real time air pressure

Mode selection

Pressure level adjustment button



- ✓ Cars
- ✓ Bicycle
- ✓ Motorcycle
- ✓ Sports equipment



Air Hose

USB Type-C Cable



Inflation nozzles  
and spare fuse



Cigarette  
lighter cable

**Air flow**



**23 L/MIN**

**Pressure**



**150 PSI**

**Power**



**120 W**

**With a function**



**AUTO-STOP**

## KS P20

Battery power	2*2000 mAh/22,2 V
Charging voltage	5 V
Charging time	4-5 hours
Max pressure	150 Psi
Gross dimensions (LxWxH)	210×118×73 mm
Gross weight	0.9 kg



# BATTERY-POWERED COMPRESSOR 2 IN 1



**BATTERY-POWERED COMPRESSOR**



**FLASHLIGHT**

LED lamp

**Mode selection button:**

- Car – 2,5 bar, 3,1 bar (45 psi)
- Motorcycle – 4,1 bar (60 psi)
- Sports Equipment – 0,5 bar (8 psi)

Pressure level adjustment button

- ✓ Cars
- ✓ Bicycle
- ✓ Motorcycle
- ✓ Sports equipment



Flashlight power button

Cover for nozzles



Air hose



USB Type-C cable



Storage bag



Inflation nozzles



**Air flow**



**15 L/MIN**

**Pressure**



**150 PSI**

**Power**



**40 W**

**With a function**



**AUTO-STOP**

## KS PCL-10

Battery	2×2000 mAh
Voltage	7.4 V
Charging voltage	5 V/1 A
Speed	15 l/min
Gross dimensions (LxWxH)	260×90×90 mm
Gross weight	0.6 kg



# CAR VACUUM CLEANER



**FOOT MATS**



**CAR SEATS**



**UPHOLSTERY**



**HARD-TO -REACH PLACES**



## HEPA FILTER

- HIGH EFFICIENCY
- PARTICULATE AIR FILTER

Dustbin release button

LED lamp

LED lamp switch

Power switch

## PERFECT FOR:

- ✓ Sand
- ✓ Debris
- ✓ Pet hair
- ✓ Crumbs



**ACCESSORIES:** Brush nozzle, extension hose, crevice tool, power cord with a 12 V car cigarette lighter plug.

## Vacuum degree



**8000 Pa**

## Rated power



**120 W**

## Rated voltage



**DC 12 V**

## Light weight



**0.8 KG**

## KS VC20

Rated voltage	DC 12 V
Rated power	120 W
Vacuum degree	8000 Pa
Cable length	3 m
Gross dimensions (LxWxH)	415×125×135 mm
Net/Gross weight	0.8 /1.3 kg



# HANDHELD VACUUM CLEANER WITH AIR COMPRESSOR 3 IN 1



VACUUM CLEANER



LED LAMP



COMPRESSOR



MANOMETER

LED light switch

LED lamp

Power switch

- Suction mode
- Inflation mode



Transparent dustbin 600 ml

**WET&DRY CLEANING:**

- ✓ Sand
- ✓ Debris
- ✓ Pet hair
- ✓ Crumbs



**HEPA FILTER**

- HIGH EFFICIENCY
- PARTICULATE AIR FILTER



**ACCESSORIES:** Adapters, corrugated hose, brush nozzle, narrow nozzle, tire hose, nozzles.

Vacuum degree



**3000 Pa**

Rated power



**80 W**

Pressure



**150 PSI**

Air flow



**18 L/MIN**

## KS VCP30

Rated power	80 W
Rated voltage	DC 12 V
Rated current	6.7 A
Dust cup volume	600 ml
Cable Length	3.5 m (with cigarette lighter plug)
Net dimensions (LxWxH)	354×116×135 mm
Net weight	1.2 kg





# HANDHELD VACUUM CLEANER



**COUCH CLEANING**



**FLOORS AND CARPETS**



**LED LAMP**



**HARD-TO-REACH PLACES**

## Mode switch button:

- 7000 Pa, 30 min. - for dust, hair
- 16000 Pa, 15 min. - for crumbs, sand

## LED display:

- Battery level indication in percents
- Dustbin fullness reminder
- Overheating protection reminder

## Handle

## Adapter

## Extended straight pipe

## Floor brush

## PERFECT FOR:

- ✓ Sand
- ✓ Debris
- ✓ Pet hair
- ✓ Crumbs

## 3-LAYER FILTRATION

- STAINLESS STEEL FILTER
- WASHABLE HEPA FILTER
- SPONGE FILTER



Stainless steel metal filter

**Dust collector**  
200 ml

**ACCESSORIES:** Square brush, combined flat brush, floor brush, straight extension pipe, charging base, USB Type-C charging cable

## Vacuum degree



**7000/16000 Pa**

## Running time



**30/15 MIN**

## Rated power



**120 W**

## Battery



**3x2000 mAh**

## KS VC10

Lithium-ion Battery	3x2000mAh
Rated voltage	DC 11.1 V
Rated power	120 W
Rated input	5 V/2 A
Charging time	4-6 hours
Gross dimensions (LxWxH)	445×120×245 mm
Net/Gross weight	0.7 / 1.6 kg




# CORDLESS VACUUM CLEANER



**PORTABLE AND  
LIGHTWEIGHT**



**FOR HARD-TO-REACH  
PLACES**



**CLEANING AREA  
LIGHTING**



**PET HAIR CLEANING**

Detachable transparent dustbin 450 ml

Aluminium tube release button

Motorized brush release button

Motorized brush

Lamp



**Multi Cyclone PRE-FILTER**  
+ Stainless steel filter

## PERFECT FOR:

- ☒ Home
- ☒ Sand
- ☒ Kitchens
- ☒ Debris
- ☒ Furniture
- ☒ Pet hair
- ☒ Windows
- ☒ Crumbs
- ☒ Auto
- ☒ Garage



**ACCESSORIES:** Adapter\* outlook may differ depending on market, wall hanger, 2 in 1 brush & long nozzle, electrical metal tube

### Suction modes



**ECO/STANDARD/  
HIGH**

### Vacuum degree



**7/15/25 kPa**

### Rated power



**300 W**

### Battery



**2200 mAh**

## KS VC40

Input voltage	100-240V, 50-60Hz, 0.4A MAX
Output voltage	27V/500mA
Charging time	4.5 - 5 h
Dust cup volume	450 ml
Gross dimensions (LxWxH)	685×135×253 mm
Net/Gross weight	1.8 / 3.4 kg



# CHARGING STATIONS FOR ELECTRIC VEHICLE

Könner & Söhnen® electric vehicle charging stations provide a reliable and safe charging of electric cars and are **a must-have for every electric vehicle owner!** Although the charger that comes with the electric vehicle has a built-in controller, it does not have built-in protection and is not designed for constant use and high-power charging. It is merely a portable solution in case you go somewhere where there is nothing but a regular outlet, and the car needs to be charged.

## ✓ UNIVERSAL CHARGING CONNECTOR

Könner & Söhnen® EV charging stations are equipped with the DIN EN 62196-2 Type 2 connectors, which is the most common connection for European electric vehicles. They come complete with a long 5-meter charging cable that allows for a variety of parking options.

## ✓ UP TO x8 TIMES FASTER CHARGING

Könner & Söhnen® charging stations can deliver much more power than conventional chargers.

Three-phase charging enables the utilisation of capacities not available for single-phase charging.



**POWER**

7 kW	(230V)
11 kW	(400V)
22 kW	(400V)

CE TÜV SÜD REACH NPS RoHS COMPLIANT

**LED indicators:**

- Power
- Connect
- Charging
- Fault

MCB (Miniature Circuit Breaker) and RCD (Residual Current Device) protection

Tempered glass front panel

LCD screen

RFID reader

Emergency stop button

Cable holder and charging connector holder included



**SMART LOAD CONTROLLER KS SLC**  
(optional)



**UNIVERSAL CHARGING  
CONNECTOR**  
(suitable for most  
electric vehicles)



**USER-  
FRIENDLY**  
(suitable for indoor  
and outdoor use)



**WEATHER-  
PROOF**  
(can be used in  
rain or snow)



**MULTI-LEVEL  
PROTECTION**  
(against overheating,  
overvoltage, overcurrent, etc.)

## ADVANTAGES OF KÖNNER & SÖHNEN® ELECTRIC VEHICLE CHARGING STATIONS

### ✓ USER SAFETY

Our EV charging stations are safe for the user, both during use and during standby. Although the charging station is plugged in and always ready for use, the charging plug remains de-energised as long as it is not connected to the electric vehicle.

In addition, all EV charging stations from Könnér & Söhnen® have built-in earth leakage protection (especially required in wet weather) that conventional chargers do not have.

### ✓ SAFETY FOR YOUR HOME

Our EV charging stations are safe for the user, both Conventional chargers offer no protection against burning outlet contacts and the possible risk of fire.

### ✓ SAFETY FOR YOUR CAR

Our charging stations are equipped with a display of all relevant indicators and multi-level protection.

### ✓ ANTI-TAMPERING PROTECTION

Our charging stations for electric vehicles have protection against tampering, which means that no one else can use your charging point.

### ✓ SMART HOME LOAD CONTROLLER CONNECTION OPTION

The Könnér & Söhnen® KS X series charging stations feature integrated programmable logic controller that enables connecting a residential load controller (optional).



# CHARGING STATIONS FOR ELECTRIC VEHICLE

## 3 CONNECTION OPTIONS

WI-FI/ Ethernet/ APP



KS X32/1



KS X16/3



KS X32/3

Number of phases	1	3	3
Rated voltage, V	230	400	400
Rated current, A	32	16	32
Rated power, kW	7	11	22
MCB built-in	inside the wallbox		
Charging cable length, m	5	5	5
Recommended power supply cable (copper), mm²	3x4, 3x6	5x4, 5x6	5x4, 5x6
Input terminals	L1/N/PE	L1/L2/L3/N/PE	L1/L2/L3/N/PE
Charging connector type	Type 2	Type 2	Type 2
Dimensions (LxWxH), mm	497x342x268 mm	497x342x268 mm	497x342x268 mm
Weight, kg	12	12	12
Protection class	IP54		

## 2 CONNECTION OPTIONS

BLUETOOTH/ APP



KS P32/1




KS P16/3



KS P32/3

Number of phases	1	3	3
Rated voltage, V	230	400	400
Rated current, A	32	16	32
Rated power, kW	7	11	22
Charging cable length, m	5	5	5
Recommended power supply cable (copper), mm²	3x4 3x6	5x4 5x6	5x4 5x6
Input terminals	L/N/PE	L1/L2/L3/N/PE	L1/L2/L3/N/PE
Charging connector type	Type 2	Type 2	Type 2
Dimensions (LxWxH), mm	450x380x150 mm	450x380x150 mm	450x380x150 mm
Weight, kg	6	6	6
Protection class	IP65		



### Germany

DIMAX International GmbH  
info@dimaxgroup.de  
konner-sohnen.com/de

### Poland

DIMAX International Poland Sp. z o. o.  
info.pl@dimaxgroup.de  
konner-sohnen.com/pl

### Ukraine

TOB "Техно Трейд КС"  
sales@ks-power.com.ua  
konner-sohnen.com/ua

### France

info.fr@dimaxgroup.de  
konner-sohnen.com/fr

### Spain

info.es@dimaxgroup.de  
konner-sohnen.com/es

### Romania

info.ro@dimaxgroup.de  
konner-sohnen.com/ro

### USA

admin.us@dimaxgroup.de  
us.konner-sohnen.com

### Great Britain

support.uk@dimaxgroup.de  
uk.konner-sohnen.com

